Heredity **78** (1997) 679–682

Author index

Abbo, S. *see* Liu, C.J.

Ackermann, R. *see* Kaiser, M.

Affre, L., Thompson, J.D., Variation in the population genetic structure of two *Cyclamen* species on the island of Corsica **205**

Allegrucci, G., Minasi, M.G., Sbordoni, V., Patterns of gene flow and genetic structure in cave-dwelling crickets of the Tuscan endemic, *Dolichopoda schiavazzii* (Orthoptera, Rhaphidophoridae) **665**

Anamthawat-Jónsson, K. *see* Pasakinskienė, I.

Andersen, L.W., Holm, L.-E., Siegismund, H.R., Clausen, B., Kinze, C.C., Loeschcke, V., A combined DNA-microsatellite and isozyme analysis of the population structure of the harbour porpoise in Danish waters and West Greenland **270**

Apelbaum-Elkaher, I. *see* Nevo, E.

Aránega, A.E. *see* Lorite, P.

Arroyo, J. *see* Barrett, S.C.H.

Ayala, F.J. *see* Jasieński, M.

Ayre, D.J. *see* Chaplin, J.A.

Backeljau, T., De Bruyn, L., De Wolf, H., Jordaens, K., Van Dongen, S., Winnepenninckx, B., Allozyme diversity in slugs of the *Carinarion* complex (Mollusca, Pulmonata) **445**

Balding, D.J., Nichols, R.A., Significant genetic correlations among Caucasians at forensic DNA loci **583**

Barrett, S.C.H., Cole, W.W., Arroyo, J., Cruzan, M.B., Lloyd, D.G., Sexual polymorphisms in *Narcissus triandrus* (Amaryllidaceae): is this species tristylous? **135**

Bazin, C. *see* Joly, D.

Bazzaz, F.A. *see* Jasieński, M.

Beiles, A. *see* Nevo, E.

Bell, G., Experimental evolution in *Chlamydomonas*. I. Short-term selection in uniform and diverse environments **490**

Bell, G., Reboud, X., Experimental evolution in *Chlamydomonas*. II. Genetic variation in strongly contrasted environments **498**

Bell, G. *see* Reboud, X.

Bielawski, J.P., Pumo, D.E. Randomly amplified polymorphic DNA (RAPD) analysis of Atlantic Coast striped bass **32**

Bijlsma, R. *see* Kappe, A.L.

Bilger, I. *see* Machon, N.

Bodénès, C., Joandet, S., Laigret, F., Kremer, A., Detection of genomic regions differentiating two closely related oak species *Quercus petraea* (Matt.) Liebl. and *Quercus robur* L. **433**

Brodie, E.D., III *see* Grill, C.P.

Burgos, M. *see* Zurita, F.

Calinski, T. *see* Sari-Gorla, M.

Carter, P.A., Maintenance of the *Adh* polymorphism in *Ambystoma tigrinum nebulosum* (tiger salamanders). I. Genotype differences in time to metamorphosis in extreme oxygen environments **101**

Castro, J.A. *see* Ramon, M.M.

Chaplin, J.A., Ayre, D.J., Genetic evidence of widespread dispersal in a parthenogenetic freshwater ostracod **57**

Clausen, B. *see* Andersen, L.W.

Cole, W.W. *see* Barrett, S.C.H.

Colgan, D.J., Estimating selective coefficients of allelic substitutions from patterns of interspecific allozymic mobility difference **655**

Cronberg, N., Molau, U., Sonesson, M. Genetic variation in the clonal bryophyte *Hylocomium splendens* at hierarchical geographical scales in Scandinavia **293**

Cruzan, M.B. *see* Barrett, S.C.H.

Dahlgaard, J., Loeschcke, V., Effects of inbreeding in three life stages of *Drosophila buzzatii* after embryos were exposed to a high temperature stress **410**

Dane, F. *see* Huang, H.

De Bruyn, L. *see* Backeljau, T.

De Wolf, H. *see* Backeljau, T.

Dekkers, J.C.M. *see* Uimari, P.

Del Cerro, A.L. *see* Quevedo, C.

Deng, H.-W., Increase in developmental instability upon inbreeding in *Daphnia* **182**

Díaz de la Guardia, R. *see* Zurita, F.

Dietz, R. *see* Palsbøll, P.J.

Fairbairn, D.J. *see* Gallant, S.L.

Fieldhouse, D., Yazdani, F., Golding, G.B., Substitution rate variation in closely related rodent species **21**

Frankham, R. Do island populations have less genetic variation than mainland populations? **311**

Freeland, S.J., McCabe, B.K. Fitness compensation and the evolution of selfish cytoplasmic elements **391**

Fujiyama, N. *see* Ueno, H.

Gale, M.D. *see* Liu, C.J.

Galetti, P.M., Jr *see* Sola, L.

Gallant, S.L., Fairbairn, D.J., Patterns of postmating reproductive isolation in a newly discovered species pair, *Aquarius remigis* and *A. remigoides* (Hemiptera; Gerridae) **571**

Garty, J. *see* Nevo, E.

Gasser, M. *see* Kaiser, M.

Gidoni, D. *see* Paran, I.

Gliddon, C.J. *see* Raybould, A.F.

Goffinet, B. *see* Mangin, B.
Golding, G.B. *see* Fieldhouse, D.
González-Sánchez, M. *see* Jiménez, M.M.
Gratia, E. *see* Van Rossum, F.
Greilhuber, J., Obermayer, R., Genome size and maturity group in *Glycine max* (soybean) **547**
Grill, C.P., Moore, A.J., Brodie, E.D., III The genetics of phenotypic plasticity in a colonizing population of the ladybird bettle, *Harmonia axyridis* **261**
Groenendijk, C.F.M., Sandbrink, J.M., Van Brederode, J., Van Damme, J.M.M., Mitochondrial DNA variation within P-type cytoplasmic male sterility of *Plantago lanceolata* L. **75**
Guedes-Pinto, H. *see* Ribeiro-Carvalho, C.
Guntrip, J., Sibly, R.M., Holloway, G.J., The effect of novel environment and sex on the additive genetic variation and covariation in and between emergence body weight and development period in the cowpea weevil, *Callosobruchus maculatus* (Coleoptera, Bruchidae) **158**

Harrison, G. *see* Ribeiro-Carvalho, C.
Heckel, D.G. *see* Raijmann, L.E.L.
Heide-Jørgensen, M.P. *see* Palsbøll, P.J.
Heslop-Harrison, J.S. *see* Ribeiro-Carvalho, C.
Hindar, K. *see* Vøllestad, L.A.
Hobæk, A. *see* Weider, L.J.
Holm, L.-E. *see* Andersen, L.W.
Holloway, G.J. *see* Guntrip, J.
Huang, H., Dane, F., Wang, Z., Jiang, Z, Huang, R., Wang, S., Isozyme inheritance and variation in *Actinidia* **328**
Huang, R. *see* Huang, H.
Humphreys, M.W. *see* Pasakinskienė, I.

Jacobsohn, R. *see* Paran, I.
James, S.H. *see* Kennington, W.J.
Jasieński, M., Ayala, F.J., Bazzaz, F.A., Phenotypic plasticity and similarity of DNA among genotypes of an annual plant **176**
Jiang, Z. *see* Huang, H.
Jiménez, M.M., Romera, F., González-Sánchez, M., Puertas, M.J., Genetic control of the rate of transmission of rye B chromosomes. III. Male meoisis and gametogenesis **636**
Jiménez, R. *see* Zurita, F.
Joandet, S. *see* Bodénès, C.
Joly, D., Bazin, C., Zeng, L.-W., Singh, R.S., Genetic basis of sperm and testis length differences and epistatic effect on hybrid inviability and sperm motility between *Drosophila simulans* and *D. sechellia* **354**
Jones, G.H. *see* Quevedo, C.
Jones, R.N. *see* Pasakinskienė, I.
Jordaens, K. *see* Backeljau, T.

Kaczmarek, Z. *see* Sari-Gorla, M.
Kaiser, M., Gasser, M., Ackermann, R., Stearns, S.C., P-element inserts in transgenic flies: a cautionary tale **1**
Kappe, A.L., Bijlsma, R., Osterhaus, A.D.M.E., Van Delden, W., Van de Zande, L., Structure and amount of genetic variation at minisatellite loci within the subspecies complex of *Phoca vitulina* (the harbour seal) **457**
Katakura, H. *see* Ueno, H.
Kemp, S.J. *see* Uimari, P.Kennedy, B.W. *see* Uimari, P.
Kennington, W.J., James, S.H., The effect of small population size on the mating system of a rare clonal mallee, *Eucalyptus argutifolia* (Myrtaceae) **252**
King, I.P. *see* Liu, C.J.
Kinze, C.C. *see* Andersen, L.W.
Krajewski, P. *see* Sari-Gorla, M.
Krauss, S.L., Low genetic diversity in *Persoonia mollis* (Proteaceae), a fire-sensitive shrub occurring in a fire-prone habitat **41**
Kremer, A. *see* Bodénès, C.
Kremer, A., Zanetto, A., Geographical structure of gene diversity in *Quercus petraea* (Matt.) Liebl. II: Multilocus patterns of variation **476**
Kurian, V., Richards, A.J., A new recombinant in the heteromorphy '*S*' supergene in *Primula* **383**

Lagnel, J. *see* Tsagkarakou, A.
Laigret, F. *see* Bodénès, C.
Le Thierry d'Ennequin, M., Panaud, O., Robert, T., Ricroch, A., Assessment of genetic relationships among sexual and aseuxal forms of *Allium cepa* using morphological traits and RAPD markers **403**
Lefèbvre, C. *see* Van Rossum, F.
Lefranc, M. *see* Machon, N.
Lie, Ø *see* Slettan, A.
Linares, M., The ghost of mimicry past: laboratory reconstitution of an extinct butterfly 'race' **628**
Liu, C.J., King, I.P., Pittaway, T.S., Abbo, S., Reader, S.M., Miller, T.E., Gale, M.D., Physical and genetical mapping of rDNA sites in *Pennisetum* (pearl millet) **529**
Lloyd, D.G. *see* Barrett, S.C.H.
Loeschcke, V. *see* Andersen, L.W.; Dahlgaard, J.
Lorite, P., Aránega, A.E., Luque, F., Palomeque, T., Analysis of the nucleolar organizing regions in the ant *Tapinoma nigerrimum* (Hymenoptera, Formicidae) **578**
Luque, F. *see* Lorite, P.

Machon, N., Lefranc, M., Bilger, I., Mazer, S.J., Sarr, A., Allozyme variation in *Ulmus* species from France: analysis of differentiation **12**
Mangin, B., Goffinet, B., Comparison of several confidence intervals for QTL location **345**
Mazer, S.J. *see* Machon, N.
McCabe, B.K. *see* Freeland, S.J.
Meerts, P. *see* Van Rossum, F.
Menken, S.B.J. *see* Raijmann, L.E.L.
Miller, T.E. *see* Liu, C.J.

Minasi, M.G. *see* Allegrucci, G.
Mitsutsuji, T. *see* Tomaru, N.
Miyatake, T., Genetic trade-off between early fecundity and longevity in *Bactrocera cucerbitae* (Diptera: Tephritidae) **93**
Mogg, R.J. *see* Raybould, A.F.
Molau, U. *see* Cronberg, N.
Monaco, P.J. *see* Sola, L.
Moore, A.J. *see* Grill, C.P.

Nagasaka, K. *see* Wang, Z.M.
Navajas, M. *see* Tsagkarakou, A.
Nevo, E., Apelbaum-Elkaher, I., Garty, J., Beiles, A., Natural selection causes microscale allozyme diversity in wild barley and a lichen at 'Evolution Canyon', Mt. Carmel, Israel **373**
Nichols, R.A. *see* Balding, D.J.
Nokkala, C. *see* Nokkala, S.
Nokkala, S., Nokkala, C., The absence of chiasma terminalization and inverted meiosis in males and females of *Myrmus miriformis* Fn. (Corizidae, Heteroptera) **561**

Obermayer, R. *see* Greilhuber, J.
Ohba, K. *see* Tomaru, N.
Olsaker, I. *see* Slettan, A.
Osterhaus, A.D.M.E. *see* Kappe, A.L.

Palomeque, T. *see* Lorite, P.
Palsbøll, P.J., Heide-Jørgensen, M.P., Dietz, R., Population structure and seasonal movements of narwhals, *Monodon monoceros*, determined from mtDNA analysis **284**
Panaud, O. *see* Le Thierry d'Ennequin, M.
Pannell, J., Mixed genetic and environmental sex determination in an androdioecious population of *Mercurialis annua* **50**
Paran, I., Gidoni, D., Jacobsohn, R., Variation between and within broomrape (*Orobanche*) species revealed by RAPD markers **68**
Pašakinskiene, I., Anamthawat-Jónsson, K., Humphreys, M.W., Jones, R.N., Novel diploids following chromosome elimination and somatic recombination in *Lolium multiflorum*-×*Festuca arundinacea* hybrids **464**
Pasteur, N. *see* Tsagkarakou, A.
Pérez de la Vega, M. *see* Polanco, C.
Pittaway, T.S. *see* Liu, C.J.
Polanco, C., Pérez de la Vega, M., Intergenic ribosomal spacer variability in hexaploid oat cultivars and landraces **115**
Powell, W. *see* Wachira, F.N.
Puertas, M.J. *see* Jiménez, M.M.
Pumo, D.E. *see* Bielawski, J.P.

Quevedo, C., Del Cerro, A.L., Santos, J.L., Jones, G.H., Correlated variation of chiasma frequency and synaptonemal complex length in *Locusta migratoria* **515**

Raijmann, L.E.L., Van Ginkel, W.E., Heckel, D.G., Menken, S.B.J., Inheritance and linkage of isozymes in *Yponomeuta padellus* (Lepidoptera, Yponomeutidae) **645**
Ramon, M.M., Castro, J.A., Genetic variation in natural stocks of *Sardina pilchardus* (sardines) from the western Mediterranean Sea **520**
Rannala, B., Gene genealogy in a population of variable size **417**
Rasch, E.M. *see* Sola, L.
Raybould, A.F., Mogg, R.J., Gliddon, C.J. The genetic structure of *Beta vulgaris* ssp. *maritima* (sea beet) populations. II. Differences in gene flow estimated from RFLP and isozyme loci are habitat-specific **532**
Reader, S.M. *see* Liu, C.J.
Reboud, X. *see* Bell, G.
Reboud, X., Bell, G., Experimental evolution in *Chlamydomonas*. III. Evolution of specialist and generalist types in environments that vary in space and time **507**
Ribeiro-Carvalho, C., Guedes-Pinto, H., Harrison, G., Heslop-Harrison, J.S., Wheat–rye chromosome translocations involving small terminal and intercalary rye chromosome segments in the Portuguese wheat landrace Barbela **539**
Richards, A.J. *see* Kurian, V.
Ricroch, A. *see* Le Thierry d'Ennequin, M.
Rieseberg, L.H. *see* Wolf, D.E.
Robert, T. *see* Le Thierry d'Ennequin, M.
Roff, D.A., Simons, A.M., The quantitative genetics of wing dimorphism under laboratory and 'field' conditions in the cricket *Gryllus pennsylvanicus* **235**
Rogers, D.L., Inheritance of allozymes from seed tissues of the hexaploid gymnosperm, *Sequoia sempervirens* (D. Don) Endl. (Coast redwood) **166**
Romera, F. *see* Jiménez, M.M.
Ross, K.G., Shoemaker, D.D., Nuclear and mitochondrial genetic structure in two social forms of the fire ant *Solenopsis invicta*: insights into transitions to an alternate social organization **590**

Sánchez, A. *see* Zurita, F.
Sandbrink, J.M. *see* Groenendijk, C.F.M.
Santos, J.L. *see* Quevedo, C.
Santos, M. Resource subdivision and the advantage of genotype diversity in *Drosophila* **302**
Sari-Gorla, M., Calinski, T., Kaczmarek, Z., Krajewski, P., Detection of QTL × environment interaction in maize by a least squares interval mapping method **146**
Sarr, A. *see* Machon, N.
Sbordoni, V. *see* Allegrucci, G.
Shoemaker, D.D. *see* Ross, K.G.
Sibly, R.M. *see* Guntrip, J.
Siegismund, H.R. *see* Andersen, L.W.
Simons, A.M. *see* Roff, D.A.
Singh, R.S. *see* Joly, D.

Slettan, A., Olsaker, I., Lie, Ø., Segregation studies and linkage analysis of Atlantic salmon microsatellites using haploid genetics **620**

Sola, L., Galetti, P.M., Jr, Monaco, P.J., Rasch, E.M., Cytogenetics of bisexual/unisexual species of *Poecilia*. VI. Additional nucleolus organizer region chromosomal clones of *Poecilia formosa* (Amazon molly) from Texas, with a survey of chromosomal clones detected in the Amazon molly **612**

Sonesson, M. *see* Cronberg, N.

Spencer, S.C. *see* Wolf, D.E.

Stearns, S.C. *see* Kaiser, M.

Stettler, R.F. *see* Wu, R.

Takahashi, M. *see* Tomaru, N.

Teale, A.J. *see* Uimari, P.

Thompson, J.D. *see* Affre, L.

Tomaru, N., Mitsutsuji, T., Takahashi, M., Tsumura, Y., Uchida, K., Ohba, K., Genetic diversity in *Fagus crenata* (Japanese beech): influence of the distributional shift during the late-Quaternary **241**

Tsagkarakou, A., Navajas, M., Lagnel, J., Pasteur, N., Population structure in the spider mite *Tetranychus urticae* (Acari: Tetranychidae) from Crete based on multiple allozymes **84**

Tsumura, Y. *see* Tomaru, N.

Uchida, K. *see* Tomaru, N.

Ueno, H., Fujiyama, N., Katakura, H., Genetic basis for different host use in *Epilachna pustulosa*, a herbivorous ladybird beetle **277**

Uimari, P., Kemp, S.J., Dekkers, J.C.M., Teale, A.J., Kennedy, B.W., Sensitivity of segregation analysis to data structure and transformation: a case study of trypanotolerance in mice **424**

Van Brederode, J. *see* Groenendijk, C.F.M.

Van Damme, J.M.M. *see* Groenendijk, C.F.M.

Van de Zande, L. *see* Kappe, A.L.

Van Delden, W. *see* Kappe, A.L.

Van Dongen, S. *see* Backeljau, T.

Van Ginkel, W.E. *see* Raijmann, L.E.L.

Van Rossum, F., Vekemans, X., Meerts, P., Gratia, E., Lefèbvre, C., Allozyme variation in relation to ecotypic differentiation and population size in marginal populations of *Silene nutans* **552**

Vekemans, X. *see* Van Rossum, F.

Vøllestad, L.A., Hindar, K., Developmental stability and environmental stress in *Salmo salar* (Atlantic salmon) **215**

Wachira, F.N., Powell, W., Waugh, R., An assessment of genetic diversity among *Camellia sinensis* L. (cultivated tea) and its wild relatives based on randomly amplified polymorphic DNA and organelle-specific STS **603**

Wang, S. *see* Huang, H.

Wang, Z. *see* Huang, H.

Wang, Z.M., Nagasaka, K., Allozyme variation in natural populations of *Picea glehnii* in Hokkaido, Japan **470**

Waugh, R. *see* Wachira, F.N.

Weider, L.J., Hobæk, A., Postglacial dispersal, glacial refugia, and clonal structure in Russian/Siberian populations of the arctic *Daphnia pulex* complex **363**

Winnepenninckx, B. *see* Backeljau, T.

Wolf, D.E., Rieseberg, L.H., Spencer, S.C., The genetic mechanism of sex determination in the androdioecious flowering plant, *Datisca glomerata* (Datiscaceae) **190**

Wu, R., Stettler, R.F., Quantitative genetics of growth and development in *Populus*. II. The partitioning of genotype × environment interaction in stem growth **124**

Yazdani, F. *see* Fieldhouse D.

Zanetto, A. *see* Kremer, A.

Zeng, L.-W. *see* Joly, D.

Zurita, F., Sánchez, A., Burgos, M., Jiménez, R., Díaz de la Guardia, R., Interchromosomal, intercellular and interindividual variability of NORs studied with silver staining and *in situ* hybridization **229**

Heredity **78** (1997) 683–686

Keyword index

achiasmatic meiosis **645**
Actinidia **328**
Ag staining **229**
Ag-NORs **578**
alcohol dehydrogenase **101**
Allium cepa **403**
allozymes **41**, **57**, **84**, **101**, **166**, **241**, **293**, **311**, **363**, **445**, **470**, **476**, **552**, **590**, **665**
Ambystoma tigrinum **101**
androdioecy **50**, **190**
antagonistic pleiotropy **507**
ants **578**
APRT **21**
Atlantic salmon **620**
autotroph vs. heterotroph **498**, **507**
Avena sativa **115**

B1/B2 elements **21**
B chromosomes **636**
B transmission control **636**
Bactrocera cucurbitae **93**
Beringia **363**
biodiversity **539**
birth–death process **417**
bivalent orientation **561**
bracket crossing **571**
breeding system **190**
broad-sense heritability **124**
broomrape **68**
Bryophyta **293**
butterfly mimicry **628**

Callosobruchus maculatus **158**
Camellia spp. **603**
cave crickets **665**
Cetaceae **284**
chiasma terminalization **561**
chiasmata **515**
Chlamydomonas **490**, **498**, **507**
chromosome elimination **464**
clonal heterogeneity **612**
clonal plant **293**
clonal reproduction **57**
Coast redwood **166**
colonizing species **261**
confidence interval **345**
conservation genetics **311**, **417**, **457**
correlated response **498**
cost of adaptation **498**
Cyclamen **205**
cyclical parthenogenesis **182**
cytogenetics **612**
cytoplasmic incompatibility **391**
cytoplasmic male sterility **75**

D-loop **284**
Danish waters **270**
Daphnia **182**, **363**
Datisca glomerata **190**
Datiscaceae **190**
developmental instability **182**
developmental stability **215**
differentiation **476**
dioecy **50**
discriminant analysis **470**
disequilibrium **476**
disomic inheritance **328**
dispersal **57**
diversity **68**, **403**
DNA fingerprinting **457**
DNA profile **583**
drift **101**
Drosophila **302**, **354**
D. buzzatii **410**
D. melanogaster **1**

edaphic ecotype **552**
electrophoresis **655**
elongation factor **1**
embryos **410**
endemic species **311**
environmental heterogeneity **490**
environmental sensitivity **124**
Epilachna pustulosa **277**
epistatic effect **354**
Eucalyptus **252**
evolution **235**, **284**
evolution of plasticity **507**
evolvability **261**
experimental evolution **490**
extinction **311**

Fagus crenata **241**
fecundity **93**
Festuca arundinacea **464**
Feulgen densitometry **547**

fire **41**
fire ants **590**
fish stocks **520**
fitness **498**
fitness compensation **391**
flow cytometry **547**
fluctuating asymmetry **215**
fluorescent CMA bands **578**
forage grasses **464**
founder effects **532**
founder population **417**
founding events **241**
French elms **12**
F_{ST} **583**

G × E interaction **261**
G-matrix **158**
gene coalescent **417**
gene flow **84**, **532**, **571**, **665**
gene introgression **603**
genetic correlation **124**, **235**, **277**
genetic diversity **12**, **41**, **293**, **373**, **417**, **470**
genetic heterogeneity **302**
genetic homeostasis **182**
genetic manipulation **1**
genetic mapping **529**, **620**
genetic neighbourhood **41**
genetic similarity **176**
genetic structure **590**
genetic variance **498**
genetic variation **32**, **115**, **158**, **205**, **241**, **302**, **311**, **457**, **490**, **520**
genetics **261**
genome size **547**
genomic *in situ* hybridization **464**
genotype **176**
geographical differentiation **12**
glacial refugia **363**
Glycine max **547**
growth **124**
gynodioecy **75**

Haldane's rule **571**
haploid gynogenesis **620**
harbour porpoise **270**
harbour seal **457**
Harmonia axyridis **261**
hatchery environment **215**
heat-shock tolerance **410**
Heliconius microevolution **628**
heritability **235**
hermaphroditic slugs **445**
heteromorphy **383**
Heteroptera **561**
heterozygote deficiency **571**
heterozygosity **215**
hierarchical variation **293**
holokinetic chromosomes **561**
homozygous strains **445**
Hordeum spontaneum **373**
host plants **277**
host-plant adaptation **84**
hybrid zone **571**
hybridization **252**
hybrids **12**
Hylocomium splendens **293**
hypoxia **101**

in situ hybridization **229**, **529**, **539**, **578**
inbreeding **182**, **410**
inbreeding depression **252**
incompatibility **383**
inheritance **166**
interval mapping **146**
inverted meiosis **561**
islands **311**
isolation by distance **532**
isozymes **12**, **328**, **520**, **532**, **655**

kiwifruit **328**

landraces **539**
late-acting self-sterility **135**
lethal gene **383**
lichens **373**
lifespan **1**
linkage **645**
local asymptotic framework **345**
Locusta migratoria **515**
Lolium multiflorum **464**
longevity **93**
low nucleotide diversity **284**

maize **146**
male-killing **391**
mapping of allozymes **645**
marginal populations **552**
mathmatical model **391**
mating system **205**
maturity group **547**
meiosis **636**
Metropolis algorithm **583**
microgametogenesis **636**
microgeographical structure **302**
microgeographical variation **373**
microsatellites **270**, **620**
mimicry evolution **628**
molecular differentiation **433**

© The Genetical Society of Great Britain, *Heredity*, **78**, 683–686.

Morone **32**
mouse **424**
mtDNA variation **75**, **363**, **590**
Müllerian mimicry **628**
mutation accumulation **507**
Narcissus triandrus **135**

neutral theory **655**
niche overlap **176**
norm of reaction **176**
novel environment **158**
nucleolar organizing regions **229**
nucleotide divergence **433**

oaks **433**
oats **115**
Odontocetae **284**
onion **403**
Orthoptera **515**
ostracod **57**
outcrossing rates **135**, **252**

parthenogenesis **57**
Pennisetum **529**
phenetics **603**
phenotypic plasticity **176**, **261**
phylogeny **21**
phylogeography **363**
physcial mapping **529**
Picea glehnii **470**
plant breeding **539**
Plantago lanceolata **75**
pleiotropy **93**
Poecilia formosa **612**
pollen **146**
pollen mitosis **636**
polyploid **166**, **328**
population differentiation **205**, **241**
population expansion **241**
population extinction **41**
population genetics **32**, **270**, **284**, **445**, **470**, **583**, **628**, **665**
population size **552**
population structure **57**, **84**
Populus **124**
position effects **1**
Primula **383**
Primulaceae **205**

QTL location **345**
QTL × environment interaction **146**
Quercus petraea **476**

RAPD **32**, **68**, **403**, **433**, **603**
RAPD–PCR **176**
rapid microevolution **628**
rate variation **21**
rDNA **115**, **529**
reaction norms **277**
recolonization **41**
recombination **383**, **515**
relative rate test **21**
reproductive assurance **50**
reproductive strategy **403**
resource subdivision **302**
RFLPs **146**, **532**
ribosmoal intergenic spacer **115**
ribosomal cistrons **229**
rodent **21**
rye **539**

Salmo salar **215**, **620**
sardine **520**
SCAR **433**
sea beet **532**
Secale cereale **636**
seed abortion **252**
segregation analysis **424**
selection **93**, **101**, **373**, **490**
selection experiment **498**, **507**
selective coefficients **655**
self-fertilization **252**
sensitivity **424**
Sequoia sempervirens **166**
sex change **50**
sex choice **50**
sex chromosome trivalent **645**
sex determination **190**
sexual dimorphism **50**
sexual polymorphism **135**
shallot **403**
Silene nutans **552**
similar test **345**
similarity **603**
size effects **1**
social organization **590**
Solenopsis invicta **590**
somatic recombination **464**
speciation **354**
species differences **354**
sperm length **354**
stochastic demography **417**
stress **410**
striped bass **32**
supergene **383**
sympatry **205**
synaptonemal complex **515**

testis length **354**

© The Genetical Society of Great Britain, *Heredity*, **78**, 683–686.

tetrasomic inheritance **328**
trade-off **93**, **158**, **507**
tristyly **135**
trypanotolerance **424**

Ulmus **12**
uniparental reproduction **445**
unisexual fish **612**

water quality **215**
waterstrider **571**
West Greenland **270**
wheat **539**
wild barley **373**
wing dimorphism **235**
Wolbachia **391**

© The Genetical Society of Great Britain, *Heredity*, **78**, 683–686.